

Journal of Pharmaceutical Research International

33(61B): 332-342, 2021; Article no.JPRI.77783 ISSN: 2456-9119 (Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919, NLM ID: 101631759)

Preparation and Cytotoxic Effect of *Pterocarpus* santalinus Selenium Based Mouthwash

V. M. Nivedha ^a, Lakshminarayanan Arivarasu ^{b*}, S. Rajeshkumar ^c and Lakshmi Thangavelu ^b

 ^a Saveetha Dental College & Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai, Tamilnadu, India.
 ^b Department of Pharmacology, Saveetha Dental College & Hospitals, Saveetha Institute of Medical and Technical Sciences, Chennai, Tamilnadu, India.
 ^c Department of Pharmacology, Nanobiomedicine Lab- Blue Lab, Saveetha Dental College & Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Chennai, Tamilnadu, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2021/v33i61B35606

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/77783

Original Research Article

Received 24 October 2021 Accepted 26 December 2021 Published 28 December 2021

ABSTRACT

Introduction: A mouthwash or rinse cannot replace the regular oral hygiene routine of twice-daily tooth brushing and daily flossing. A mouthwash or rinse freshen breath, and control the bad breath. A mouthwash is a medicated liquid which is held in the mouth and swished by the action of perioral musculature to eliminate the oral pathogens. The medicinal plants have their application in pharmaceutical, cosmetic, agricultural and food industries. Medicinal plants act as a natural source for bioactive medicinal compounds. Selenium is a vita micronutrient that has excellent antimicrobial, anti cancerous, antidiabetic, and anti-inflammatory properties. The biological method of synthesis of Selenium nanoparticles has extensive application in the field of biomedicine due to low toxicity, targeted delivery of Nano drugs and stability.

Materials and Methods: Pterocarpus santalinus plant extract and mouthwash was prepared and cytotoxicity activity was performed.

Results: On day 1 all the 10 nauplii were alive in all the concentrations. On day 2 when the concentration was 5, 10, 20, 40,80, control the number of live nauplii was 10,8,8,8,7,10

*Corresponding author: E-mail: lakshmin.sdc@saveetha.com;

respectively.Results were tabulated and graphically analyzed in SPSS software. Correlation analysis was done using SPSS software.

Conclusion: Increased concentration of selenium nanoparticles was not toxic to living nauplii as it did not cause the death of it.But the *Pterocarpus santalinus* extraction based selenium nanoparticles have less to no cytotoxicity.This study shows that mouth rinses from medicinal plants as a source of an excellent alternative with less common side-effects to chemical-based oral antimicrobial products.

Keywords: Pterocarpus santalinus; cytotoxicity; mouthwash; selenium.

1. INTRODUCTION

A mouthwash or rinse cannot replace the regular oral hygiene routine of twice-daily tooth brushing and daily flossing. The main function of most mouthwashes is to freshen breath, and control the bad breath [1]. A mouthwash is a medicated liquid which is held in the mouth and swished by the action of perioral musculature to eliminate the oral pathogens [2]. In ancient times the mouthwash was formulated with a mixture of decoct extracted from the olive tree leaves, milk, wine and oil, pomegranate peelings, nutgalls and vinegar. This paved way for mouthwash with traditional methods and herbs. Since then a variety of herbal remedies are available triphala, tulsi patra, jyeshtamadh, neem, clove oil, pudina, ajwain, white oak bark, horsetail herb, plantain leaf, aloe vera, organic echinacea angustifolia root, myrrh gum, organic lobelia herb and seed, organic peppermint leaf, wildcrafted goldenseal root, clove essential oil, peppermint essential oil, tea tree essential oil [3].

The medicinal plants have their application in pharmaceutical, cosmetic, agricultural and food industries. The use of the medicinal herbs for curing disease has been marked in the past Saga of all civilizations [4]. Humans in the prehistoric era were not aware about the health hazards and their association with irrational therapy. With the commencement of research in medicine, it was concluded that plants contain active principles, which are responsible, for curative action of the disease [5]. Before the synthetic era, man was completely dependent on medicinal herbs for prevention and treatment of diseases. With the introduction of scientific procedures, medical practitioners were able to understand about toxic principles present in the green flora. Medicinal plants act as a natural source for bioactive medicinal compounds [6]. Pterocarpus santalinus (red sandalwood) is one of the medicinal plants used in traditional medicine, and is rich in flavonoids and phenols. Significant antidiabetic activity by reducing the

elevated blood glucose levels and glycosylated hemoglobin, improving hyperlipidemia and restoring the insulin levels includes three new sesquiterpenes - namely isopterocarpolone, pterocarptriol and pterocarpdiolone [7].

Selenium is a vita micronutrient that has excellent antimicrobial. anti cancerous. antidiabetic. and anti-inflammatory properties [8,9], Nevertheless, it is in the traditional form. it has a low degree of absorption and high levels of toxicity [10]. Nano-sized selenium has excellent biocompatibility with enhanced biological effects. The biological method of synthesis of Selenium nanoparticles has extensive application in the field of biomedicine due to low toxicity, targeted delivery of Nano drugs and stability [11]. Seaweeds or marine algae are permanent sources of chemical compounds which consist of plethora of biologically active secondary а metabolites [12]. They are considered as a potential source of antibiotic substances. Ulva lactuca is an edible green marine algae (Chlorophyta), which holds an antibacterial activity against oral pathogens. Ulvan is the sulfated polysaccharide of the algae Ulva Spp is declared to be responsible for its antibacterial activity and has no toxicity [13]. Traditional oral antimicrobial agents in the form of mouth rinses or dental varnish are chemical-based [14] These chemicals based mouthwashes cause many side effects. This emphasized the need for non-toxic natural products based mouth rinses which is also effective in reducing the bacterial load [15]. Our team has extensive knowledge and research experience that has translate into high quality [16-29] .The Present Study is aimed at the preparation and cytotoxic effect of *Pterocarpus* santalinus selenium based mouthwash.

2. METHODS AND MATERIALS

2.1 Preparation of Plant Extract

Commercially available dry powder of *Pterocarpus santalinus* was used for this

mixed well. Then 12 drops of the plant pellet

were added to the above mixture followed by

adding 2 drops of peppermint oil and was mixed

experiment. This experiment was conducted in Saveetha Dental College,Chennai,Tamilnadu. This experiment was carried out by dissolving 1g of *Pterocarpus santalinus* in 100ml of water. This moisture was then boiled in a heating mantle st 70 degrees celsius for up to 10 minutes. The boiled mixture was then filtered using Whattman number 1 filter paper to obtain the plant extract. Then 40ml of plant extract was measured using a measuring cylinder and the mixture was added to 60ml of 1mM selenium dissolved in 60 ml distilled water.

2.2 Preparation of the Mouthwash

To a eppendorf tube, 10 ml of distilled water was taken then 0.3g of sucrose was measured using a electrical weighing scale and was added to the tube containing the water, the mixture was mixed well and then 0.01g of sodium lauryl sulphate and 0.001 g of sodium benzoate were added and



lodine free salt 2g was weighed and dissolved in 200 ml of distilled water. Then 6 wells of the ELISA plates were taken and 10-12 ml of saline water was filled respectively. To that 10 nauplii were slowly added to each well (20, 40, 60, 80, 100).

Then the nanoparticles were added according to the concentration level. The plates were incubated for 24 hours. After 24 hours, the ELISA plates were observed and noted for the number of live nauplii present and calculated.



Fig. 1. 1g of *Pterocarpus santalinus* powder weighed and taken



Fig. 2. Prepared Pterocarpus santalinus selenium nanoparticles based mouthwash



3. RESULTS

Fig. 3. The bar graph represents the cytotoxic activity of the *Pterocarpus santalinus* selenium based mouthwash. X axis represents the concentration and Y axis represents the no. of live nauplii. The blue bar represents day 1 and the orange bar represents day 2

The present study observed that in figure 3, on day 1 all the 10 nauplii were alive in all the concentrations. On day 2 when the concentration was 5, 10, 20, 40,80 ,control the number of live nauplii was 10, 8, 8, 8, 7, 10 respectively.

4. DISCUSSION

It is eminent that the oral ailments are a global health apprehension with a substantial impact on the general public. Additionally the amplified intake of sugars in the diet, consumption of tobacco, inadequate exposure to fluorides, and lack of approach to dental care, are the expected incidence of dental caries and periodontal disease which will continue to rise [30]. S. mutans is the foremost etiological agent of dental caries [31]. *E. faecalis* is an opportunistic pathogen, *S. aureus* and *C. albicans* are secluded from persistent apical periodontal lesions. Oral microflora is considered as a Vital factor in both caries and periodontal disease, and causes the ailment pathogenesis by producing the biofilms [32]. Therefore, the use of various types of mouth rinses are given a proper importance to proceed against the harmful microorganisms associated with oral diseases or Conversely, apprehensions infections [33]. regarding the development of antibiotic-resistant strains and hostile effects of contemporary mouth

rinses have directed the attention in the use of non conventional or alternative medicines and plant extracts. Many previous reports have recommended the possible use of plant extracts in oral care for effective and efficient inhibition of microflora by natural antimicrobials (31,34)(10). Nevertheless, the potential benefits of chemotherapeutic formulations in mouth rinses provide thrust for research in verdict effective mouth rinses for oral care [35,36].

The previous study done by Mohanakumari [37], any antimicrobial agents are expected to have minimal cytotoxic effect on host cells. This studv results demonstrated previous the cvtotoxic effect of both CP and LS on cultured HGF [38]. Nevertheless. no significant differences were observed in the reduction of HGF cells by irradiated and non irradiated mouth rinses. Importantly, an earlier report on the effect E-beam on sodium dodecyl sulfate of demonstrated the reduction in toxicity of the surfactant [39]. The previous study demonstrated the similar result concluded as in the present study.

Microculture tetrazolium assays are sensitive, quantitative, and reliable methods to assess the cellular metabolic activity, where methyl thiazolyl tetrazolium obtains a dark purple colored formazan through cellular mitochondrial dehydrogenase enzyme. A study done by Geethashri Anand [40], the percentage survival rate of HGF cells and V79 cells dealt with cashew and mango established a significant PIbased mouth rinses than the CHX-based. This indicates less toxicity and long time usage of active components of these plants as an alternative to commercial mouth rinses which is in accordance with the present study.

In a recent study, 1-h exposure to as low as 0.1% Persica solution produced irreversible cytotoxic effects on the cells engaged in the wound healing process [41]. While the presence of FCS (10%) offered a protection from drug toxicity, the diminution in the cytotoxic effect of Persica in the presence of FCS is due to the binding of potent toxic compounds of the mouthwash to serum proteins [42]. Our team has extensive knowledge and research experience that has translate into high quality publications [43-47],[48-53], [45,54,55],[56-60] [61,62] . It is pragmatic that the toxic compounds of Persica solution put forth their effects through irreversible binding to cellular proteins, thereby reassuring their function. The aim of the Present study is set out with the same result [63].

5. CONCLUSION

Increased concentration of selenium nanoparticles was not toxic to living nauplii as it did not cause the death of it.But the Pterocarpus santalinus extraction based selenium nanoparticles have less to no cytotoxicity [64-73].A Previous study done by Ryeo-Woon Kim [74] discussed that the cytotoxicity assay conducted in this study demonstrated that the Dendropanax morbifera Léveille extracts retained high cell viability (> 60%) at all concentrations. The cytotoxicity test performed using Human keratinocyte cells in a previous study revealed that the Dendropanax morbifera Léveille leaf extracts exhibited no cytotoxicity at concentrations lower than 50 µm/mL. This result was in concurrence to the result obtained in the present study. This study shows that mouth rinses from medicinal plants as a source of an excellent alternative with less common sideeffects to chemical-based oral antimicrobial products.

NOTE

The study highlights the efficacy of "traditional medicine" which is an ancient tradition, used in

some parts of India. This ancient concept should be carefully evaluated in the light of modern medical science and can be utilized partially if found suitable.

CONSENT

It is not applicable.

ETHICAL APPROVAL

It is not applicable.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Barma MD, Kannan SD, Indiran MA, Rajeshkumar S, Pradeep Kumar R. Antibacterial Activity of Mouthwash Incorporated with Silica Nanoparticles against S. aureus, S. mutans, E. faecalis: An in-vitro Study [Internet]. Journal of Pharmaceutical Research International. 2020:25–33. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i1630646
- 2. Matthews RW. Hot saltwater mouth baths [Internet]. British Dental Journal. 2003;194:584–584. Available from: http://dx.doi.org/10.1038/sj.bdj.4810228
- Manipal S. The Mouthwash War -Chlorhexidine vs. Herbal Mouth Rinses: A Meta-Analysis [Internet]. Journal of Clinical and Diagnostic Research; 2016. Available:http://dx.doi.org/10.7860/jcdr/201 6/16578.7815
- 4. Herbal Sources Used by The Public Against Infections [Internet]. Vol. 12, International Journal of Pharmaceutical Research; 2020. Available:http://dx.doi.org/10.31838/ijpr/20 20.sp1.015
- Shi-Lin Chen,Hua Yu, corresponding , Hong-Mei Luo, Qiong WU, Chun-Fang Li, André Steinmetz. Conservation and sustainable use of medicinal plants: problems, progress, and prospects. Chin Med [Internet]. 2016;11(6). Available:http://dx.doi.org/ 10.1186/s13020-016-0108-7
- Niveditha AS, Sankari Niveditha A, Geetha RV, Arivarasu L. Will Alternative Medicine Help Us to Fight Against COVID-19

[Internet]. International Journal of Current Research and Review. 2020:112–6. Available:http://dx.doi.org/10.31782/ijcrr.20 20.sp47

 M. Eshrat Halim AM. The effects of the aqueous extract of Pterocarpus santalinus heartwood and vitamin E supplementation in streptozotocin-induced diabetic rats. Journal of Medicinal Plants [Internet]. 2011;5(3):398–409.

Available:https://academicjournals.org/jour nal/JMPR/article-full-textpdf/736711624896

8. Shree MK, Kavya Shree M, Arivarasu L, Rajeshkumar S. Cytotoxicity and Antimicrobial of Chromium Activity Mediated Picolinate Zinc Oxide Nanoparticle [Internet]. Journal of Pharmaceutical Research International. 2020:28-32. Available:http://dx.doi.org/10.9734/jpri/202

Available:http://dx.doi.org/10.9734/jpri/202 0/v32i2030726

- Jaisankar AI, Arivarasu L. Free Radical Scavenging and Anti-Inflammatory Activity of Chlorogenic Acid Mediated Silver Nanoparticle [Internet]. Journal of Pharmaceutical Research International. 2020:106–12. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i1930715
- Hosnedlova B, Kepinska M, Skalickova S, Fernandez C, Ruttkay-Nedecky B, Peng Q, et al. Nano-selenium and its nanomedicine applications: a critical review. Int J Nanomedicine [Internet]. 2018 Apr 10;13:2107–28. Available:

http://dx.doi.org/10.2147/IJN.S157541

- Karthik V, Arivarasu L, Rajeshkumar S. Hyaluronic Acid Mediated Zinc Nanoparticles against Oral Pathogens and Its Cytotoxic Potential [Internet]. Journal of Pharmaceutical Research International. 2020:113–7. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i1930716
- Vikneshan M, Saravanakumar R, Mangaiyarkarasi R, Rajeshkumar S, Samuel SR, Suganya M, et al. Algal biomass as a source for novel oral nanoantimicrobial agent [Internet]. Vol. 27, Saudi Journal of Biological Sciences. 2020:3753–8. Available:http://dx.doi.org/10.1016/j.sjbs.20 20.08.022
- 13. Shankar SB, Barani Shankar S, Arivarasu L, Rajeshkumar S. Biosynthesis of

Hydroxy Citric Acid Mediated Zinc Nanoparticles and Its Antioxidant and Cytotoxic Activity [Internet]. Journal of Pharmaceutical Research International. 2020:108–12.

Available:http://dx.doi.org/10.9734/jpri/202 0/v32i2630845

- GS, Saurabh G, Komal S. Comparative Characterization for Antimicrobial Activity and Bioactive Compounds Present in Leaf Extract of Ocimum sanctum [Internet]. Vol. 03, Journal of Food & Industrial Microbiology; 2018. Available:http://dx.doi.org/10.4172/2572-4134.1000121
- Marsh PD. Dental plaque as a biofilm and a microbial community – implications for health and disease [Internet]. BMC Oral Health. 2006;6. Available:http://dx.doi.org/10.1186/1472-6831-6-s1-s14
- 16. Pushpaanjali G, Geetha RV, Lakshmi T. Knowledge and Awareness about Antibiotic Usage and Emerging Drug Resistance Bacteria among Dental Students. Journal of Pharmaceutical Research International [Internet]. 2020 Aug 24 [Cited 2021 Aug 31];34-42. Available:https://www.journaljpri.com/index .php/JPRI/article/view/30647
- Aathira CM, Geetha RV, Lakshmi T. Knowledge and Awareness about the Mode of Transmission of Vector Borne Diseases among General Public. Journal of Pharmaceutical Research International [Internet]. 2020 Aug 24 [cited 2021 Aug 31];87–96.

Available:https://www.journaljpri.com/index .php/JPRI/article/view/30652

- Baskar K, Lakshmi T. Knowledge, Attitude and Practices Regarding HPV Vaccination among Undergraduate and Postgraduate Dental Students in Chennai. Journal of Pharmaceutical Research International [Internet]. 2020 Aug 25 [Cited 2021 Aug 31];95–100. Available:https://www.journaljpri.com/index .php/JPRI/article/view/30672
- Manya Suresh LT. Wound Healing Properties of Aloe Barbadensis Miller-In Vitro Assay. Journal of Complementary Medicine Research [Internet]. 2020 [Cited 2021 Aug 31];11(5):30–4. Available:http://www.ejmanager.com/fulltex tpdf.php?mno=63687
- 20. First Report on Marine Actinobacterial Diversity around Madras Atomic Power

Station (MAPS), India [Internet]. [cited 2021 Aug 31]. Available:http://alinteridergisi.com/article/fir st-report-on-marine-actinobacterialdiversity-around-madras-atomic-powerstation-maps-india/

- 21. Physicochemical Profile of Acacia Catechu Bark Extract – An in Vitro Stud -International Journal of Pharmaceutical and Phytopharmacological Research [Internet]. [cited 2021 Aug 31]. Available:https://eijppr.com/article/physicoc hemical-profile-of-acacia-catechu-barkextract-an-in-vitro-stud
- 22. Lakshmi T. Antifungal Activity of Ficus racemosa Ethanolic Extract against Dermatophytes-An in vitro Study. Journal of Research in Medical and Dental Science [Internet]. 2021 [cited 2021 Aug 31];9(2):191–3. Available:https://www.jrmds.in/abstract/anti

fungal-activity-of-ficus-racemosa-ethanolicextract-against-dermatophytesan-in-vitrostudy-63386.html

- 23. Awareness of Drug Abuse among Teenagers - International Journal of Pharmaceutical and Phytopharmacological Research [Internet]. [cited 2021 Aug 31]. Available:https://eijppr.com/article/awarene ss-of-drug-abuse-among-teenagers
- Mangal CSK, Anitha R, Lakshmi T. Inhibition of Nitric oxide Production and Nitric oxide Synthase Gene Expression in LPS Activated RAW 264 .7 Macrophages by Thyme oleoresin from Thymus vulgaris. J Young Pharm [Internet]. 2018 [cited 2021 Aug 31];10(4):481. Available:http://dx.doi.org/10.5530/jyp.201 8.10.104
- COX2 Inhibitory Activity of Abutilon Indicum - Pharmaceutical Research and Allied Sciences [Internet]. [Cited 2021 Aug 31]. Available: https://ijpras.com/article/cox2inhibitory-activity-of-abutilon-indicum
- Jibu RM, Geetha RV, Lakshmi T. Isolation, Detection and Molecular Characterization of Staphylococcus aureus from Postoperative Infections. Journal of Pharmaceutical Research International [Internet]. 2020 Aug 24 [cited 2021 Aug 31];63–7.

Available:https://www.journaljpri.com/index .php/JPRI/article/view/30626

27. Sindhu PK, Thangavelu L, Geetha RV, Rajeshkumar S, Raghunandhakumar S, Roy A. Anorectic drugs: an experimental and clinical perspective �A Review. Journal of Complementary Medicine Research [Internet]. 2020 [cited 2021 Aug 31];11(5):106–12.

Available:http://www.ejmanager.com/fulltex tpdf.php?mno=63714

 Nivethitha R, Thangavelu L, Geetha RV, Anitha R, RajeshKumar S, Raghunandhakumar S. In Vitro Anticancer Effect of Sesamum Indicum Extract -. Journal of Complementary Medicine Research [Internet]. 2020 [cited 2021 Aug 31];11(5):99–105. Available:

https://www.bibliomed.org/?mno=63711

- Mariona P, Roy A, Lakshmi T. Survey on 29. lifestyle and food habits of patients with PCOS obesity. Journal and of Complementary Medicine Research [Internet]: 2020. [Cited 2021 Aug 31];11(5):93-8. Available:http://www.ejmanager.com/fulltex tpdf.php?mno=63710 30.
- Goyal A, Student PG, Department of Public Health Dentistry, Jaipur Dental College, Jaipur, Rajasthan, et al. Analysis Of pH, Titratable Acidity and Total Soluble Solid Content of Mouthrinses with Different Active Ingredients and Concentration Commercially Available in India: An in Vitro Study [Internet]. International Journal of Scientific Research. 2012;2:447–51. Available:http://dx.doi.org/10.15373/22778 179/may2013/151
- Filoche S, Wong L, Sissons CH. Oral Biofilms: Emerging Concepts in Microbial Ecology [Internet]. Journal of Dental Research. 2010;89:8–18. Available:http://dx.doi.org/10.1177/002203 4509351812
- 32. S SK. Satheesha KS. In-Vitro Antibacterial Activity of Black Tea (Camellia sinensis) Nanoparticles Mediated Zinc Oxide Against Oral Pathogens [Internet]. Biotechnology Research Bioscience Communications. 2020;13:2077-80. Available:http://dx.doi.org/10.21786/bbrc/1 3.4/66
- Devaraj E, Roy A, Veeraragavan GR, Magesh A, Sleeba AV, Arivarasu L, et al. β-Sitosterol attenuates carbon tetrachloride–induced oxidative stress and chronic liver injury in rats [Internet]. Naunyn- Schmiedeberg's Archives of Pharmacology. 2020;393:1067–75. Available:http://dx.doi.org/10.1007/s00210-020-01810-8

- Aspalli S, Shetty VS, Devarathnamma MV, Nagappa G, Archana D, Parab P. Evaluation of antiplaque and antigingivitis effect of herbal mouthwash in treatment of plaque induced gingivitis: A randomized, clinical trial. J Indian Soc Periodontol [Internet]. 2014 Jan;18(1):48–52. Available: http://dx.doi.org/10.4103/0972-124X.128208
- 35. Nasim I, Kamath K, Rajeshkumar S. Evaluation of the re-mineralization capacity of a gold nanoparticle-based dental varnish: An in vitro study [Internet]. Journal of Conservative Dentistry. 2020;23:390. Available:

http://dx.doi.org/10.4103/jcd.jcd_315_20

- 36. Barma MD. Synthesis of Triphala Incorporated Zinc Oxide Nanoparticles and Assessment of its Antimicrobial Activity Against Oral Pathogens : An In-Vitro Study [Internet]. Bioscience Biotechnology Research Communications. 2020;13:74–8. Available:http://dx.doi.org/10.21786/bbrc/1 3.7/14
- Shetty A, Geethashri A, Kumar B, Palaksha KJ, Sridhar KR, Sanjeev G. Effect of electron-beam irradiation on antimicrobial, antibiofilm activity, and cytotoxicity of mouth rinses [Internet]. Indian Journal of Dental Research. 2016;27:145.

Available: http://dx.doi.org/10.4103/0970-9290.183116

- Rajeshkumar S, Sherif MH, Malarkodi C, Ponnanikajamideen M, Arasu MV, Al-Dhabi NA, et al. Cytotoxicity behaviour of response surface model optimized gold nanoparticles by utilizing fucoidan extracted from padina tetrastromatica [Internet]. Journal of Molecular Structure. 2021;1228:129440. Available: http://dx.doi.org/10.1016/j.molstruc.2020.1 29440
- Romanelli MF, Moraes MCF, ALC, Borrely SI. Evaluation of toxicity reduction of sodium dodecyl sulfate submitted to electron beam radiation [Internet]. Radiation Physics and Chemistry. 2004;71:411–3. Available:http://dx.doi.org/10.1016/j.radphy schem.2004.03.038
- 40. Shetty A, Anand G, Ravinanthan M, Basaviah R. In vitro antimicrobial and cytotoxic effects of Anacardium occidentale and Mangifera indica in oral

care [Internet]. Journal of Pharmacy and Bioallied Sciences. 2015;7:69. Available: http://dx.doi.org/10.4103/0975-

7406.148780

- 41. Rajeshkumar S, Malarkodi C, Al Farraj DA, Elshikh MS, Roopan SM. Employing sulphated polysaccharide (fucoidan) as medium for gold nanoparticles preparation and its anticancer study against HepG2 cell lines [Internet]. Materials Today Communications. 2021;26:101-975. Available:http://dx.doi.org/10.1016/j.mtcom m.2020.101975
- 42. Shunmugam R, Balusamy SR, Kumar V, Menon S, Lakshmi T, Perumalsamy H. Biosynthesis of gold nanoparticles using marine microbe (Vibrio alginolyticus) and its anticancer and antioxidant analysis [Internet]. Journal of King Saud University -Science. 2021;33:101260. Available:http://dx.doi.org/10.1016/j.jksus.2 020.101260
- 43. Rajeshkumar S, Kumar SV, Ramaiah A, Agarwal H, Lakshmi T, Roopan SM. Biosynthesis of zinc oxide nanoparticles usingMangifera indica leaves and evaluation of their antioxidant and cytotoxic properties in lung cancer (A549) cells. Enzyme Microb Technol [Internet]. 2018 Oct;117:91–5. Available:http://dx.doi.org/10.1016/j.enzmic

Available:http://dx.doi.org/10.1016/j.enzmic tec.2018.06.009

44. Nandhini NT, Rajeshkumar S, Mythili S. The possible mechanism of eco-friendly synthesized nanoparticles on hazardous dyes degradation. Biocatal Agric Biotechnol [Internet]. 2019 May 1;19:101138. Available:https://www.sciencedirect.com/sc

ience/article/pii/S1878818118308235

- Vairavel M, Devaraj E, Shanmugam R. An eco-friendly synthesis of Enterococcus sp.-mediated gold nanoparticle induces cytotoxicity in human colorectal cancer cells. Environ Sci Pollut Res [Internet]. 2020 Mar 1;27(8):8166–75. Available: https://doi.org/10.1007/s11356-019-07511-x
- 46. Gomathi M, Prakasam A, Rajkumar PV, Rajeshkumar S, Chandrasekaran R, Anbarasan PM. Green synthesis of silver nanoparticles using Gymnema sylvestre leaf extract and evaluation of its antibacterial activity [Internet]. South African Journal of Chemical Engineering. 2020;32:1–4.

Available:http://dx.doi.org/10.1016/j.sajce.2 019.11.005

 Rajasekaran S, Damodharan D, Gopal K, Rajesh Kumar B, De Poures MV. Collective influence of 1-decanol addition, injection pressure and EGR on diesel engine characteristics fueled with diesel/LDPE oil blends. Fuel [Internet]. 2020 Oct 1;277:118166. Available:https://www.sciencedirect.com/sc

ience/article/pii/S0016236120311625

- Santhoshkumar J, Sowmya B, Venkat Kumar S, Rajeshkumar S. Toxicology evaluation and antidermatophytic activity of silver nanoparticles synthesized using leaf extract of Passiflora caerulea. S Afr J Chem Eng [Internet]. 2019 Jul;29:17–23. Available:https://linkinghub.elsevier.com/re trieve/pii/S1026918519300253
- Raj RK, DE, SR. β-Sitosterol-assisted silver nanoparticles activates Nrf2 and triggers mitochondrial apoptosis via oxidative stress in human hepatocellular cancer cell line. J Biomed Mater Res A [Internet]. 2020 Sep;108(9):1899–908. Available:http://dx.doi.org/10.1002/jbm.a.3 6953
- 50. Saravanan M, Arokiyaraj S, Lakshmi T, Pugazhendhi Α. Synthesis of silver nanoparticles Phenerochaete from (MTCC-787) chrysosporium and their antibacterial activity against human pathogenic bacteria. Microb Pathog [Internet]. 2018 Apr;117:68-72. Available:http://dx.doi.org/10.1016/j.micpat h.2018.02.008
- Gheena S, Ezhilarasan D. Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells. Hum Exp Toxicol [Internet]. 2019 Jun 1;38(6):694– 702. Available:https://doi.org/10.1177/09603271

Available:https://doi.org/10.1177/09603271 19839173

- 52. Ezhilarasan D, Sokal E, Najimi M. Hepatic fibrosis: It is time to go with hepatic stellate cell-specific therapeutic targets. Hepatobiliary Pancreat Dis Int [Internet]. 2018 Jun;17(3):192–7. Available:http://dx.doi.org/10.1016/j.hbpd.2 018.04.003
 53. Ezhilarasan D, Ovidative stress is bane in
- 53. Ezhilarasan D. Oxidative stress is bane in chronic liver diseases: Clinical and experimental perspective. Arab .1 Gastroenterol [Internet]. 2018 Jun;19(2):56-64. Available:http://dx.doi.org/10.1016/j.ajg.20 18.03.002

54. Gomathi AC, Xavier Rajarathinam SR, Mohammed Sadiq A, Rajeshkumar S. Anticancer activity of silver nanoparticles synthesized using aqueous fruit shell extract of Tamarindus indica on MCF-7 human breast cancer cell line. J Drug Deliv Sci Technol [Internet]. 2020 Feb 1;55:101376. Available:https://www.sciencedirect.com/sc

Available:https://www.sciencedirect.com/sc ience/article/pii/S1773224719313693

- 55. Dua K, Wadhwa R, Singhvi G, Rapalli V, Shukla SD, Shastri MD, et al. The potential of siRNA based drug delivery in respiratory disorders: Recent advances and progress. Drug Dev Res [Internet]. 2019 Sep;80(6):714–30. Available:http://dx.doi.org/10.1002/ddr.215 71
- Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A casecontrol study. J Periodontol [Internet]. 2018 Oct;89(10):1241–8. Available:http://dx.doi.org/10.1002/JPER.1 7-0445
- 57. Arumugam P, George R, Jayaseelan VP. Aberrations of m6A regulators are associated with tumorigenesis and metastasis in head and neck squamous cell carcinoma. Arch Oral Biol [Internet]. 2021 Feb;122:105030. Available:http://dx.doi.org/10.1016/j.archor albio.2020.105030
- Joseph B, Prasanth CS. Is photodynamic therapy a viable antiviral weapon against COVID-19 in dentistry? Oral Surg Oral Med Oral Pathol Oral Radiol [Internet]. 2021 Jul;132(1):118–9. Available:http://dx.doi.org/10.1016/j.oooo.2 021.01.025

59. Ezhilarasan D, Apoorva VS, Ashok Vardhan N. Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells. J Oral Pathol Med [Internet]. 2019 Feb;48(2):115–21. Available:http://dx.doi.org/10.1111/jop.128 06

Duraisamy 60. R. Krishnan CS. Ramasubramanian H, Sampathkumar J, Mariappan S, Navarasampatti Sivaprakasam A. Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original Implant and Nonoriginal Abutments.

Dent [Internet]. 2019 Jun;28(3): 289–95.

Available:http://dx.doi.org/10.1097/ID.0000 00000000885

 Gnanavel V, Roopan SM, Rajeshkumar S. Aquaculture: An overview of chemical ecology of seaweeds (food species) in natural products. Aquaculture [Internet]. 2019 May30;507:1–6. Available:https://www.sciencedirect.com/sc

ience/article/pii/S0044848618328072

 Markov A, Thangavelu L, Aravindhan S, Zekiy AO, Jarahian M, Chartrand MS, et al. Mesenchymal stem/stromal cells as a valuable source for the treatment of immune-mediated disorders. Stem Cell Res Ther [Internet]. 2021 Mar 18;12(1):192. Available:http://dx.doi.org/10.1186/s13287-

021-02265-1

63. Mohammadi M, Mozaffari B, Rajabalian S. Cytotoxicity evaluation of Persica mouthwash on cultured human and mouse cell lines in the presence and absence of fetal calf serum [Internet]. Indian Journal of Dental Research. 2009;20:169.

Available: http://dx.doi.org/10.4103/0970-9290.52894

64. Rajendran R, Kunjusankaran RN, Sandhya R, Anilkumar A, Santhosh R, Patil SR. Comparative Evaluation of Remineralizing Potential of a Paste Containing Bioactive Glass and a Topical Cream Containing Casein Phosphopeptide-Amorphous Calcium Phosphate: An in Vitro Study. Pesqui Bras Odontopediatria Clin Integr [Internet]. 2019 Mar 12 [cited 2021 Sep 15];19(0):4668. Available:http://revista.ueph.edu.br/index.p

Available:http://revista.uepb.edu.br/index.p hp/pboci/article/view/4668

- Ashok BS, Ajith TA, Sivanesan S. Hypoxiainducible factors as neuroprotective agent in Alzheimer's disease. Clin Exp Pharmacol Physiol [Internet]. 2017 Mar [cited 2021 Sep 15];44(3). Available:https://pubmed.ncbi.nlm.nih.gov/ 28004401/
- Malli SN, Selvarasu K, Jk V, Nandakumar M, Selvam D. Concentrated Growth Factors as an Ingenious Biomaterial in Regeneration of Bony Defects after Periapical Surgery: A Report of Two Cases. Case Rep Dent [Internet]. 2019 Jan 22.

[Cited 2021 Sep 15];2019.

Available:https://pubmed.ncbi.nlm.nih.gov/ 30805222/

- Mohan M, Jagannathan N. Oral field cancerization: an update on current concepts. Oncol Rev [Internet]. 2014 Jun 30 [cited 2021 Sep 15];8(1). Available:https://pubmed.ncbi.nlm.nih.gov/ 25992232/
- Menon S, Ks SD, R S, S R, Vk S. Selenium nanoparticles: A potent chemotherapeutic agent and an elucidation of its mechanism. Colloids Surf B Biointerfaces [Internet]. 2018 Oct 1 [Cited 2021 Sep 15];170. Available:https://pubmed.ncbi.nlm.nih.gov/ 29936381/
- 69. Samuel SR, Acharya S, Rao JC. School Interventions-based Prevention of Early-Childhood Caries among 3-5-year-old children from very low socioeconomic status: Two-year randomized trial. J Public Health Dent [Internet]. 2020 Jan [cited 2021 Sep 15];80(1). Available:https://pubmed.ncbi.nlm.nih.gov/
- 31710096/
 70. Praveen K, Narayanan V, Muthusekhar MR, Baig MF. Hypotensive anaesthesia and blood loss in orthognathic surgery: a clinical study. Br J Oral Maxillofac Surg [Internet]. 2001 Apr [cited 2021 Sep

15];39(2). Available:https://pubmed.ncbi.nlm.nih.gov/ 11286449/

 Neelakantan P, Subbarao C, Subbarao CV, De-Deus G, Zehnder M. The impact of root dentine conditioning on sealing ability and push-out bond strength of an epoxy resin root canal sealer. Int Endod J [Internet]. 2011 Jun [cited 2021 Sep 15];44(6). Available:https://pubmed.ncbi.nlm.nih.gov/

21255047/
72. Oligonucleotide therapy: An emerging focus area for drug delivery in chronic inflammatory respiratory diseases. Chem Biol Interact [Internet]. 2019 Aug 1 [cited 2021 Sep 15];308:206–15.

Available:http://dx.doi.org/10.1016/j.cbi.201 9.05.028

73. Kumar MS, Vamsi G, Sripriya R, Sehgal PK. Expression of matrix metalloproteinases (MMP-8 and -9) in chronic periodontitis patients with and without diabetes mellitus. J Periodontol [Internet]. 2006 Nov;77(11): 1803–8. Available:http://dx.doi.org/10.1902/jop.200 6.050293

74. Kim R-W, Lee S-Y, Kim S-G, Heo Y-R, Son M-K. Antimicrobial, Antioxidant and Cytotoxic Activities of Dendropanax morbifera Léveille extract for mouthwash and denture cleaning solution [Internet]. The Journal of Advanced Prosthodontics. 2016;8: 172. Available:http://dx.doi.org/10.4047/jap.201 6.8.3.172

© 2021 Nivedha et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/77783