

Journal of Pharmaceutical Research International

33(61B): 363-371, 2021; Article no.JPRI.77784 ISSN: 2456-9119 (Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919, NLM ID: 101631759)

Anti-inflammatory Activity of Selenium Nanoparticles Synthesised Using *Pterocarpus santalinus*

A. Shivapriya Raje Bhonsle^a, Lakshminarayanan Arivarasu^{b*}, S. Rajeshkumar^b and Lakshmi Thangavelu^b

 ^a Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai, India.
^b Department of Pharmacology, Saveetha Dental College & Hospitals, Saveetha Institute of Medical and Technical Sciences, Chennai, Tamilnadu, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2021/v33i61B35609

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/77784

Original Research Article

Received 24 October 2021 Accepted 27 December 2021 Published 28 December 2021

ABSTRACT

Introduction: Inflammation is a biochemical response of the immune system that can be caused by a wide range of factors, including bacteria, infected cells and toxic substances. *Pterocarpus Santalinus* L. f. (Fabaceae) is most commonly referred to as red sandalwood in English, but it also has several common names in many languages, The aim of the study was to evaluate the anti inflammatory activity of *Pterocarpus Santalinus*.

Materials and Methods: The plant extract was prepared and then the selenium nanoparticles were further synthesized. This has been regularly found in UV-vis spectrophotometers. This assay has the potential to calculate extracts by adding hydrogen to DPPH radicals. *Pterocarpus Santalinus* at different concentrations measured by the inhibition of albumin denaturation assay. In recent times, attention has continued to be paid to natural products and drugs as anti-inflammatory, based on reactions with free radicals and other reactive species. Further, increase in the concentration in turn increases the percentage of inhibition.

Results: In the present study, it was found that the biosynthesized selenium nanoparticles had potent anti-inflammatory activity.

[■] Associate Professor;

^{*}Corresponding author: E-mail: lakshmin.sdc@saveetha.com;

Keywords: Pterocarpus santalinus; anti-inflammatory activity; UV-vis spectroscopy; selenium nanoparticles; nanotechnology.

1. INTRODUCTION

Inflammation is a complex phenomenon that is mostly associated with pain and inverse events such as increased vascular permeability, increased protein denaturation and modification of the membrane [1]. When the cells in the body are affected by bacteria, physical agents or chemical agents, the harm is caused by stress. Inflammation of the skin is due to stress reactions. It is a difference in response characterized by redness, discomfort and heat and swelling and lack of function in the injured region.

Pterocarpus Santalinus L. f. (Fabaceae) is most commonly known as red sandalwood in English [2]. It is an endemic and endangered species, commonly found in the Southern portion in the Eastern Ghats. Belonging to the Fabaceae family, it is the most efficient medicinal plant species among all the rich heritage medicinal plants [3]. Wood is used as an astringent, tonic, as an external application for burns, cuts and inflammations, in the treatment of headaches, skin disorders, fever, acne, scorpion sting and to improve vision [4]. Red wood produces natural santalin, which is used as a coloring agent in medicinal formulations, food products; fruit extract is used as an astringent, diaphoretic, inflammatory, headache, skin diseases [5]. Bioactive compounds found in the plant heartwood have been shown to have a broad variety of biological activities, [6] indicating the ability of P. santalinus for the treatment of different diseases [7]. In vitro and in vivo studies showed the heartwood exhibited antidiabetic, antimicrobial and anti inflammatorv and hepatoprotective properties.In ayurveda, decoction of fruit is used as an astringent tonic in chronic dysentery [8,9].

Nanoparticles also attracted interest from scientists to be used as a professional biochemical operation [10]. Metals in the shape of nanoparticles pose long-term challenges to the development of a new class of anti-inflammatory agents. The biological activity of metal-derived nanoparticles is dependent on their physical and chemical activity [11]. Nanoparticles also attracted interest from scientists to be used as a professional biochemical operation [12]. Metals in the shape of nanoparticles pose long-term challenges to the development of a new class of anti-inflammatory agents. The biological activity of metal-derived nanoparticles is dependent on their physical and chemical activity.

Anti-inflammatory agents block other inflammation-causing molecules in the body and are used to prevent and diagnose cancer [13]. Selenium nanoparticles may also have adverse effects in our body [14]. Selenium nanoparticles also have cytotoxic effects that lead to a variety of cell fates [15].Our team has extensive knowledge and research experience that has translate into high quality publications [16-26].The aim of this analysis is to test the antiinflammatorv properties of Pterocarpus Santalinus synthesized selenium nanoparticles.

2. MATERIALS AND METHODS

2.1 Synthesis of Selenium Nanoparticles

Red sandal extract of 0.5g was measured, and to this 50 ml of distilled water added. Now, the measured extract is boiled for 10 min at 55 degree celsius . Further, the extract was filtered , to which sodium selenite was added.

2.2 Albumin Denaturation Assay

2.2.1 Anti-inflammatory activity

The anti-inflammatory activity for Pterocarpus Santalinus was tested by the following proposed by Muzushima and convention Kabayashi with specific alterations.0.05 mL of Pterocarpus Santalinus of various fixation (10µL,20µL,30µL,40µL,50µL) was added to 0.45 mL bovine serum albumin(1% aqueous solution) and the pH of the mixture was acclimated to 6.3 utilizing a modest quantity of 1N hydrochloric acid. These samples were incubated at room temperature for 20 min and then heated at 55 °C in a water bath for 30 min. The samples were cooled and the absorbance was estimated spectrophotometrically at 660 nm. DMSO is utilized as a control.

Percentage of protein denaturation was determined utilizing following equation,

% inhibition= Absorbance of control- Absorbance of sample×100 /Absorbance of control

3. RESULTS




Fig. 1. Synthesis of *P.santa* mediated selenium nanoparticles




Fig. 2. The bar graph represents the anti- inflammatory activity of selenium nanoparticles synthesised from extract of *Pterocarpus Santalinus*. X axis represents the concentration in the microliter and Y axis represents the percentage of inhibition, data implies as mean±SEM

In this analysis, the anti-inflammatory efficacy was evaluated at five separate reaction mixture concentrations of 10 μ L, 20 μ L, 30 μ L, 40 μ L and 50 μ L. Anti-inflammatory activity with varying inhibition percentages, such as 50%, 72%, 78%, 85% and 90%. Selenium nanoparticle induced plant extract at a concentration of 50 μ L showed strong anti-inflammatory efficacy of 90 %, which was very similar to standard consistent with the study done previously [27].

4. DISCUSSION

In the study done by Panayi it is known that Antiinflammatory effects of lignan compounds

derived from P. santalinus heartwood have been studied in RAW264.7 cells and splenocytes [28] also from the study done by Kwon et al.,[5]. Specific lignans, namely savinin, calocedrus and eudesmane, were identified in the P. santalinus heartwood extract. These compounds have been shown to suppress TNF-5-007 and have also demonstrated antiproliferative effects.Many experiments have carried out this activity, but with other nanoparticles such as copper, silver, etc. [29-31]. The benefit of the Selenium nanoparticle is that it is cost-effective, produces high reactions and consumes less time. In ancient cultures, physicians relied on herbs to improve the body's immune systems. Over a number of countries, *Pterocarpus Santalinus* and its derivatives have strengthened the immune system. Previously our team had conducted various research studies [21,22,32-54].

In the study done by [55,56] *Pterocarpus erinaceus* extracts inhibited both phases of pain induced by formaldehyde injection , showing positive outcomes on anti-inflammatory , anti analgesic and pyretic activities standing similar to our study. The selenium nanoparticles have proved to show modulating the inflammatory and diabetic complications, in the study done by [57] showing the same results as the present study.

5. CONCLUSION

The study establishes in vitro anti-inflammatory behavior of *Pterocarpus Santalinus* mediated selenium nanoparticles showing a promising outcome in both assays. It can also be used to identify new medications that are more potent with less toxicity on a long term study basis of *Pterocarpus Santalinus* [58,59]. In our study, it is evident that increase in the concentration measured by Albumin denaturation assay showed positive correlation with the percentage of inhibition [60-74]. The aim of this research was to find a better combination of *Pterocarpus Santalinus* mediated selenium nanoparticles by expressing its anti-inflammatory activity, thereby contributing to disease prevention.

NOTE

The study highlights the efficacy of "ayurveda" which is an ancient tradition, used in some parts of India. This ancient concept should be carefully evaluated in the light of modern medical science and can be utilized partially if found suitable.

CONSENT

It is not applicable.

ETHICAL APPROVAL

It is not applicable.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Zhang M, Viennois E, Prasad M, Zhang Y, Wang L, Zhang Z, et al. Edible gingerderived nanoparticles: A novel therapeutic approach for the prevention and treatment of inflammatory bowel disease and colitisassociated cancer [Internet]. Biomaterials. 2016;101:321–40.

Available:

http://dx.doi.org/10.1016/j.biomaterials.201 6.06.018

 Dhanabal SP, Syamala G, Satish Kumar MN, Suresh B. Hepatoprotective activity of the Indian medicinal plant Polygala arvensis on d-galactosamine-induced hepatic injury in rats [Internet]. Fitoterapia. 2006;77:472–4.

Available:http://dx.doi.org/10.1016/j.fitote.2 006.05.022

- 3. Li L, Tao RH, Wu JM, Guo YP, Huang C, Liang HG, et al. Three new sesquiterpenes from *Pterocarpus Santalinus*. J Asian Nat Prod Res. 2018 Apr;20(4):306–12.
- Bulle S, Reddyvari H, Nallanchakravarthula V, Vaddi DR. Therapeutic Potential of *Pterocarpus Santalinus* L.: An Update. Pharmacogn Rev. 2016 Jan;10(19):43–9.
- Kwon HJ, Hong YK, Kim KH, Han CH, Cho SH, Choi JS, et al. Methanolic extract of *Pterocarpus Santalinus* induces apoptosis in HeLa cells [Internet]. Journal of Ethnopharmacology. 2006;105:229–34. Available:http://dx.doi.org/10.1016/j.jep.20 05.10.025
- Kumar N, Seshadri TR. Triterpenoids of *Pterocarpus Santalinus*: Constitution of a new lupene diol [Internet]. Phytochemistry. 1975;14:521–3. Available: http://dx.doi.org/10.1016/0031-

Available: http://dx.doi.org/10.1016/0031-9422(75)85121-1

- Ham B, Kim M, Son YJ, Chang S, Jung SH, Nho CW, et al. Inhibitory Effects of *Pterocarpus Santalinus* Extract against IgE/Antigen-Sensitized Mast Cells and Atopic Dermatitis-Like Skin Lesions. Planta Med. 2019 May;85(7):599–607.
- Pterocarpus Santalinus Linn. f [Internet]. SpringerReference. Available:http://dx.doi.org/10.1007/springer reference_69235
- Navada KK, Vittal RR. Ethnomedicinal value of *Pterocarpus Santalinus* (Linn. f.), a Fabaceae member [Internet]. Oriental Pharmacy and Experimental Medicine. 2014;14:313–7. Available:http://dx.doi.org/10.1007/s13596-
- 014-0168-0 10. Karthik V, Arivarasu L, Rajeshkumar S. Hvaluronic Acid Mediated Zinc

Nanoparticles against Oral Pathogens and Its Cytotoxic Potential [Internet]. Journal of Pharmaceutical Research International. 2020:113–7.

Available:http://dx.doi.org/10.9734/jpri/202 0/v32i1930716

 Akash N, Arivarasu L, Rajeshkumar S. Anti-inflammatory and Antioxidant Potential of Hyaluronic Acid Mediated Zinc Nanoparticles [Internet]. Journal of Pharmaceutical Research International. 2020:33–7. Available:http://dx.doi.org/10.9734/ipri/202

Available:http://dx.doi.org/10.9734/jpri/202 0/v32i2030727

Selvi VS, Senthamil Selvi V, Velumani A, 12. Nisha Banu Synthesis N. and Characterization of Copper Oxide Nanoparticles (CuO NPs) using Mangifera indica Leaf Extract [Internet]. 2019;5(4):784-6.

Available:http://dx.doi.org/10.30799/jnst.24 0.19050411

 Aathira CM, Arivarasu L, Rajeshkumar S. Antioxidant and Anti-Inflammatory Potential of Chromium Picolinate Mediated Zinc Oxide Nanoparticle [Internet]. Journal of Pharmaceutical Research International. 2020:118–21. Available:http://dx.doi.org/10.9734/jpri/202

0/v32i1930717

- Chung, Chung. Investigating the use of selenium nanoparticles in protecting cells from external stress [Internet]. Available:http://dx.doi.org/10.17760/d2026 2528
- Antifungal 15. activity of selenium nanoparticles and selenium disulfide against two Malassezia species [Internet]. American Research Journal of Dermatology. 2019;1. Available: http://dx.doi.org/10.21694/2642-2980.19002
- 16. Rajeshkumar S, Venkat Kumar S, Ramaiah A, Agarwal H, Lakshmi T, Roopan SM. Biosynthesis of zinc oxide nanoparticles usingMangifera indica leaves and evaluation of their antioxidant and cytotoxic properties in lung cancer (A549) cells [Internet]. Enzyme and Microbial Technology. 2018;117:91-5. Available:http://dx.doi.org/10.1016/j.enzmic tec.2018.06.009
- 17. Nandhini NT, Rajeshkumar S, Mythili S. The possible mechanism of eco-friendly synthesized nanoparticles on hazardous dyes degradation [Internet]. Biocatalysis

and Agricultural Biotechnology. 2019:19:101138.

Available:http://dx.doi.org/10.1016/j.bcab.2 019.101138

- Vairavel M, Devaraj E, Shanmugam R. An eco-friendly synthesis of Enterococcus sp.-mediated gold nanoparticle induces cytotoxicity in human colorectal cancer cells [Internet]. Environmental Science and Pollution Research. 2020;27:8166–75. Available:http://dx.doi.org/10.1007/s11356-019-07511-x
- 19. Website [Internet]. Available from: Gomathi Μ. Prakasam Α, Raikumar PV. Chandrasekaran R, Rajeshkumar S, Anbarasan PM. Green synthesis of silver nanoparticles using Gymnema sylvestre extract and evaluation of leaf its antibacterial activity [Internet]. South African Journal of Chemical Engineering. 2020;32:1-4. Available:http://dx.doi.org/10.1016/j.sajce.2

Available:http://dx.doi.org/10.1016/j.sajce.2 019.11.005

- Rajasekaran S, Damodharan D, Gopal K, Rajesh Kumar B, De Poures MV. Collective influence of 1-decanol addition, injection pressure and EGR on diesel engine characteristics fueled with diesel/LDPE oil blends [Internet]. Fuel. 2020;277:118166. Available:http://dx.doi.org/10.1016/j.fuel.20 20.118166
- Santhoshkumar J, Sowmya B, Venkat Kumar S, Rajeshkumar S. Toxicology evaluation and antidermatophytic activity of silver nanoparticles synthesized using leaf extract of Passiflora caerulea [Internet]. South African Journal of Chemical Engineering. 2019;29:17–23. Available:http://dx.doi.org/10.1016/j.sajce.2 019.04.001
- 22. R KR, Kathiswar RR, Ezhilarasan D, Rajeshkumar S. β-Sitosterol-assisted silver nanoparticles activates Nrf2 and triggers mitochondrial apoptosis via oxidative stress in human hepatocellular cancer cell line [Internet]. Journal of Biomedical Materials Research Part Α. 2020;108:1899-908. Available:http://dx.doi.org/10.1002/jbm.a.3 6953
- 23. Ezhilarasan D, Apoorva VS, Vardhan NA. Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells [Internet]. Journal of Oral Pathology & Medicine; 2018.

Available:http://dx.doi.org/10.1111/jop.128 06

 Duraisamy R, Krishnan CS, Ramasubramanian H, Sampathkumar J, Mariappan S, Sivaprakasam AN. Compatibility of Nonoriginal Abutments With Implants [Internet]. Implant Dentistry. 2019;28:289–95. Available:http://dx.doi.org/10.1097/id.0000

Available:http://dx.doi.org/10.1097/id.0000 00000000885

 Gnanavel V, Roopan SM, Rajeshkumar S. Aquaculture: An overview of chemical ecology of seaweeds (food species) in natural products [Internet]. Aquaculture. 2019;507:1–6. Available:http://dx.doi.org/10.1016/j.aquac

ulture.2019.04.004

- Markov A, Thangavelu L, Aravindhan S, Zekiy AO, Jarahian M, Chartrand MS, et al. Mesenchymal stem/stromal cells as a valuable source for the treatment of immune-mediated disorders [Internet]. Stem Cell Research & Therapy. 2021; 12. Available:http://dx.doi.org/10.1186/s13287-021-02265-1
- Jaisankar AI, Arivarasu L. Free Radical Scavenging and Anti-Inflammatory Activity of Chlorogenic Acid Mediated Silver Nanoparticle [Internet]. Journal of Pharmaceutical Research International. 2020:106–12. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i1930715
- Panayi GS, Lanchbury JS, Kingsley GH. The importance of the t cell in initiating and maintaining the chronic synovitis of rheumatoid arthritis [Internet]. Arthritis & Rheumatism. 1992;35:729–35. Available:http://dx.doi.org/10.1002/art.1780 350702
- Suvidya R, Pravin L, Shubhangi B, Satyawati J. Rapid Green Synthesis and Biological Activity of Silver Nanoparticles Using Adhatoda vasica Leaf Extract [Internet]. Vol. 5, Advanced Science, Engineering and Medicine. 2013:319–24. Available:http://dx.doi.org/10.1166/asem.2 013.1258
- Shankar SB, Barani Shankar S, Arivarasu 30. L, Rajeshkumar S. Biosynthesis of Hydroxy Citric Acid Mediated Zinc Nanoparticles and Its Antioxidant and Cytotoxic Activity [Internet]. Journal of Pharmaceutical Research International. 2020:108-12. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i2630845

- Shree MK. Kavva Shree M. Arivarasu L. 31. Raieshkumar S. Cytotoxicity and Antimicrobial Activity of Chromium **Picolinate** Mediated Zinc Oxide Nanoparticle [Internet]. Journal of Pharmaceutical Research International. 2020:28-32. Available:http://dx.doi.org/10.9734/jpri/202 0/v32i2030726
- Saravanan M, Arokiyaraj S, Lakshmi T, Pugazhendhi A. Synthesis of silver nanoparticles from Phenerochaete chrysosporium (MTCC-787) and their antibacterial activity against human pathogenic bacteria [Internet]. Microbial Pathogenesis. 2018;117:68–72. Available:http://dx.doi.org/10.1016/j.micpat h.2018.02.008
- Gheena S, Ezhilarasan D. Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells [Internet]. Vol. 38, Human & Experimental Toxicology. 2019:694–702. Available:http://dx.doi.org/10.1177/096032

Available:http://dx.doi.org/10.1177/096032 7119839173

34. Ezhilarasan D. Oxidative stress is bane in chronic liver diseases: Clinical and experimental perspective [Internet]. Vol. 19, Arab Journal of Gastroenterology. 2018:56–64.

Available:http://dx.doi.org/10.1016/j.ajg.20 18.03.002

- 35. Gomathi AC, Xavier Rajarathinam SR, Mohammed Sadiq A, Rajeshkumar S. Anticancer activity of silver nanoparticles synthesized using aqueous fruit shell extract of Tamarindus indica on MCF-7 human breast cancer cell line [Internet]. Journal of Drug Delivery Science and Technology. 2020;55:101376. Available:http://dx.doi.org/10.1016/j.jddst.2 019.101376
- Dua K, Wadhwa R, Singhvi G, Rapalli V, Shukla SD, Shastri MD, et al. The potential of siRNA based drug delivery in respiratory disorders: Recent advances and progress [Internet]. Drug Development Research. 2019;80:714–30.

Available:http://dx.doi.org/10.1002/ddr.215 71

 Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A casecontrol study [Internet]. Vol. 89, Journal of Periodontology. 2018:1241–8. Available: http://dx.doi.org/10.1002/jper.17-0445

- 38. Arumugam P, George R, Jayaseelan VP. Aberrations of m6A regulators are associated with tumorigenesis and metastasis in head and neck squamous cell carcinoma [Internet]. Vol. 122, Archives of Oral Biology. 2021:105030. Available:http://dx.doi.org/10.1016/j.archor albio.2020.105030
- Joseph B, Prasanth CS. Is photodynamic therapy a viable antiviral weapon against COVID-19 in dentistry? [Internet]. Vol. 132, Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology. 2021:118– 9.

Available:http://dx.doi.org/10.1016/j.oooo.2 021.01.025

40. Ezhilarasan D, Sokal E, Najimi M. Hepatic fibrosis: It is time to go with hepatic stellate cell-specific therapeutic targets [Internet]. Vol. 17, Hepatobiliary & Pancreatic Diseases International. 2018:192–7. Available: http://dx.doi.org/10.1016/j.hbpd.2018.04.00

3

- 41. Pushpaanjali G, Geetha RV, Lakshmi T. Knowledge and Awareness about Antibiotic Usage and Emerging Drug Resistance Bacteria among Dental Students. Journal of Pharmaceutical Research International. 2020 Aug 24;34-42.
- 42. Aathira CM, Geetha RV, Lakshmi T. Knowledge and Awareness about the Mode of Transmission of Vector Borne Diseases among General Public. Journal of Pharmaceutical Research International. 2020 Aug 24;87–96.
- 43. Baskar K, Lakshmi T. Knowledge, Attitude and Practices Regarding HPV Vaccination among Undergraduate and Postgraduate Dental Students in Chennai. Journal of Pharmaceutical Research International. 2020 Aug 25;95–100.
- 44. Manya Suresh LT. Wound Healing Properties of Aloe Barbadensis Miller-In Vitro Assay. Journal of Complementary Medicine Research. 2020;11(5):30–4.
- 45. First Report on Marine Actinobacterial Diversity around Madras Atomic Power Station (MAPS), India [Internet]. [Cited 2021 Aug 31]. Available:http://alinteridergisi.com/article/fir st-report-on-marine-actinobacterialdiversity-around-madras-atomic-powerstation-maps-india/

46. Physicochemical Profile of Acacia Catechu Bark Extract – An in Vitro Stud -International Journal of Pharmaceutical and Phytopharmacological Research [Internet].

[Cited 2021 Aug 31].

Available:https://eijppr.com/article/physicoc hemical-profile-of-acacia-catechu-barkextract-an-in-vitro-stud

- 47. Lakshmi T. Antifungal Activity of Ficus racemosa Ethanolic Extract against Dermatophytes-An in vitro Study. Journal of Research in Medical and Dental Science. 2021;9(2):191–3.
- 48. Awareness of Drug Abuse among Teenagers - International Journal of Pharmaceutical and Phytopharmacological Research [Internet]. [Cited 2021 Aug 31]. Available:https://eijppr.com/article/awarene ss-of-drug-abuse-among-teenagers
- 49. Mangal CSK, Anitha R, Lakshmi T. Inhibition of Nitric oxide Production and Nitric oxide Synthase Gene Expression in LPS Activated RAW 264 .7 Macrophages by Thyme oleoresin from Thymus vulgaris. J Young Pharm. 2018;10(4):481.
- COX2 Inhibitory Activity of Abutilon Indicum - Pharmaceutical Research and Allied Sciences [Internet].
 [Cited 2021 Aug 31].
 Available: https://ijpras.com/article/cox2inhibitory-activity-of-abutilon-indicum
- Jibu RM, Geetha RV, Lakshmi T. Isolation, Detection and Molecular Characterization of Staphylococcus aureus from Postoperative Infections. Journal of Pharmaceutical Research International. 2020 Aug 24;63–7.
- 52. Sindhu PK, Thangavelu L, Geetha RV, Rajeshkumar S, Raghunandhakumar S, Roy A. Anorectic drugs: an experimental and clinical perspective -A Review. Journal of Complementary Medicine Research. 2020;11(5):106–12.
- 53. Nivethitha R, Thangavelu L, Geetha RV, Anitha R, RajeshKumar S, Raghunandhakumar S. In Vitro Anticancer Effect of Sesamum Indicum Extract -. Journal of Complementary Medicine Research. 2020;11(5):99–105.
- 54. Mariona P, Roy A, Lakshmi T. Survey on lifestyle and food habits of patients with PCOS and obesity. Journal of Complementary Medicine Research. 2020; 11(5):93–8.

55. Ouédraogo N, Lompo M, Sawadogo RW, Tibiri A, Hay A-E, Koudou J, et al. Étude des activités anti-inflammatoire, analgésique et antipyrétique des décoctés aqueux des feuilles et des racines de Pterocarpus erinaceus Poir. (Fabaceae) [Internet]. Vol. 10, Phytothérapie. 2012:286–92.

Available:http://dx.doi.org/10.1007/s10298-012-0732-z

56. Amouzoun LA-L, A.-L. Amouzoun L, Agbonon A, Eklu-Gadegbeku K, Aklikokou K, Gbéassor M. Activités antipyrétique et anti-inflammatoire d'extraits hydroalcooliques des racines et feuilles de Nauclea latifolia Smith (Rubiaceae) chez le rat Wistar [Internet]. Vol. 6, Phytothérapie. 2008:228–31.

Available:http://dx.doi.org/10.1007/s10298-008-0323-1

 Khurana A, Tekula S, Saifi MA, Venkatesh P, Godugu C. Therapeutic applications of selenium nanoparticles [Internet]. Vol. 111, Biomedicine & Pharmacotherapy. 2019. p. 802–12.

Available:http://dx.doi.org/10.1016/j.biopha .2018;12:146

- 58. Rajendran R, Kunjusankaran RN, Sandhya R, Anilkumar A, Santhosh R, Patil SR. Comparative Evaluation of Remineralizing Potential of a Paste Containing Bioactive Glass and a Topical Cream Containing Casein Phosphopeptide-Amorphous Calcium Phosphate: An in Vitro Study. Pesqui Bras Odontopediatria Clin Integr. 2019 Mar 12;19(0):4668.
- 59. Kumar MS, Vamsi G, Sripriya R, Sehgal PK. Expression of matrix metalloproteinases (MMP-8 and -9) in chronic periodontitis patients with and without diabetes mellitus. J Periodontol. 2006 Nov;77(11):1803–8.
- Ezhilarasan D, Apoorva VS, Ashok VN. Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells. J Oral Pathol Med [Internet]. 2019 Feb [cited 2021 Sep 15];48(2). Available:https://pubmed.ncbi.nlm.nih.gov/ 30451321/
- 61. Danda AK, Krishna TM, Narayanan V, Siddareddi A. Influence of primary and secondary closure of surgical wound after impacted mandibular third molar removal on postoperative pain and swelling--a comparative and split mouth study. J Oral

Maxillofac Surg [Internet]. 2010 Feb [cited 2021 Sep 15];68(2).

Available:https://pubmed.ncbi.nlm.nih.gov/ 20116700/

- Ramadurai N, Gurunathan D, Samuel AV, Subramanian E, Rodrigues SJL.
 Effectiveness of 2% Articaine as an anesthetic agent in children: randomized controlled trial. Clin Oral Investig [Internet].
 2019 Sep [cited 2021 Sep 15];23(9).
 Available:https://pubmed.ncbi.nlm.nih.gov/ 30552590/
- Sathivel A, Raghavendran HR, Srinivasan P, Devaki T. Anti-peroxidative and anti-hyperlipidemic nature of Ulva lactuca crude polysaccharide on D-galactosamine induced hepatitis in rats. Food Chem Toxicol [Internet]. 2008 Oct [cited 2021 Sep 15];46(10). Available:https://pubmed.ncbi.nlm.nih.gov/ 18706469/
- 64. Panda S, Doraiswamy J, Malaiappan S, Varghese SS, Del Fabbro M. Additive effect of autologous platelet concentrates in treatment of intrabony defects: a systematic review and meta-analysis. J Investig Clin Dent [Internet]. 2016 Feb [cited 2021 Sep 15];7(1). Available:https://pubmed.ncbi.nlm.nih.gov/ 25048153/
- 65. Neelakantan P, Varughese AA, Sharma S, Subbarao CV, Zehnder M, De-Deus G. Continuous chelation irrigation improves the adhesion of epoxy resin-based root canal sealer to root dentine. Int Endod J [Internet]. 2012 Dec [cited 2021 Sep 15];45(12).

Available:https://pubmed.ncbi.nlm.nih.gov/ 22612994/

 Govindaraju L, Neelakantan P, Gutmann JL. Effect of root canal irrigating solutions on the compressive strength of tricalcium silicate cements. Clin Oral Investig [Internet]. 2017 Mar [cited 2021 Sep 15];21(2). Available:https://pubmed.ncbi.nlm.nih.gov/

Available:https://pubmed.ncbi.nlm.nih.gov/ 27469101/

- Sekhar CH, Narayanan V, Baig MF. Role of antimicrobials in third molar surgery: prospective, double blind,randomized, placebo-controlled clinical study. Br J Oral Maxillofac Surg [Internet]. 2001 Apr [cited 2021 Sep 15];39(2). Available:https://pubmed.ncbi.nlm.nih.gov/ 11286448/
- 68. DeSouza SI, Rashmi MR, Vasanthi AP, Joseph SM, Rodrigues R. Mobile

phones: the next step towards healthcare delivery in rural India? PLoS One [Internet]. 2014 Aug 18 [cited 2021 Sep 15];9(8).

Available:https://pubmed.ncbi.nlm.nih.gov/ 25133610/

- Nasim I, Neelakantan P, Sujeer R, Subbarao CV. Color stability of microfilled, microhybrid and nanocomposite resins--an in vitro study. J Dent [Internet]. 2010 [cited 2021 Sep 15];38 Suppl 2. Available: https://pubmed.ncbi.nlm.nih.gov/20553993/
- Danda AK, Muthusekhar MR, Narayanan V, Baig MF, Siddareddi A. Open versus closed treatment of unilateral subcondylar and condylar neck fractures: a prospective, randomized clinical study. J Oral Maxillofac Surg [Internet]. 2010 Jun [cited 2021 Sep 15];68(6).

Available:https://pubmed.ncbi.nlm.nih.gov/ 20303209/

 Molecular structure and vibrational spectra of 2,6-bis(benzylidene)cyclohexanone: A density functional theoretical study. Spectrochim Acta A Mol Biomol Spectrosc. 2011 Jan 1;78(1):113–21.

- Putchala MC, Ramani P, Herald J. Sherlin, Premkumar P, Natesan A. Ascorbic acid and its pro-oxidant activity as a therapy for tumours of oral cavity – A systematic review [Internet]. Vol. 58, Archives of Oral Biology. 2013:563–74. Available:http://dx.doi.org/10.1016/j.archor albio.2013.01.016
- Neelakantan P, Grotra D, Sharma S. Retreatability of 2 mineral trioxide aggregate-based root canal sealers: a cone-beam computed tomography analysis. J Endod. 2013 Jul;39(7):893–6.
- 74. Suresh P, Marimuthu K, Ranganathan S, Rajmohan T. Optimization of machining parameters in turning of Al-SiC-Gr hybrid metal matrix composites using grey-fuzzy algorithm [Internet]. Vol. 24, Transactions of Nonferrous Metals Society of China. 2014:2805–14. Available: http://dx.doi.org/10.1016/s1003-

Available: http://dx.doi.org/10.1016/s1003-6326(14)63412-9

© 2021 Bhonsle et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/77784